


LubeWORKS[®] Solution for Lubricating Equipment 路博

HOTON

SMART FLUID MANAGEMENT SYSTEM



Lubeworks Centralized oil supply system 4 IN1 (manual) **LW004**



- 1PC Air-operated oil pump3:1 **17303**
- 4PC Oil Hose reel :**29108104**
- 4PC **18123523** digital display gun
(option FN105..06 preset digital display gun)
- 4PC: DT0001 oil collector

Lubeworks Centralized oil supply system 4IN1 (Automatic) **LW005**



- 1PC Air-operated oil pump3:1 **17303**
- 1pc: SMART Host Item No. **FS 301**
- 4pc: Volume Control Module: **FS 903**
- 1pc: Liquid Level Monitoring Module **FS 902**
- 4PC Oil Hose reel :**29108104**
- 4PC **18123523** digital display gun
- 4PC: DT0001 oil collector

Lubeworks

LW006:Air-operated oil pump3:1 **17303**



1. The first choice for long-distance and large-flow transportation
2. The 3-inch pneumatic piston has reached the world's leading level. The unique pneumatic module design ensures smooth movement of the piston.
- At the same time effectively prevent freezing
3. Safe, reliable, accurate, CNC machining technology, exquisite processing technology, using original imported seals, Quality is guaranteed
4. 9-106bar delivery pressure

Lubeworks

LW007 Oil Hose reel :**29108104**



- Model 29108104
- Tube ID 1/2"(12.5mm)
- length 10m
- Maximum pressure 160bar
- In/Out 1/2"
- Pipe One layer steel braided pipe SAE100R1
- Temperature -40~+100℃
- Package size 53.5x62x26.5cm



LW008:CR631
1.5mm² 10m



LW009:HR781.06
Air/water



LW010:
WH809 10m
8mm+6mm



LW011:HR809
For all



LW012:
HR860
for all



LW015: FN105.03
preset digital
display gun



LW014:
18123523
digital display gun



LW016 :
17350250
220v



LW017:
17350252
12v

Lubeworks

LW031: MOBILE FLUID MANAGEMENT SYSTEM FS403.07



Mobile Fluid Management System brings both mobile fluid dispensing capabilities and superior fluid management control.
Classification management (admin & user), password management
It can be used for different specifications of barrels, with fluid shortage warning function.
The Data between the equipment and computer can be transmit via the wireless network or U disk.
The unit can be set L, gal, Pt, QT (four unit) according to need. Through coefficient proof to ensure more accurate filling. Manual and preset dispensing. 7" TOUCH SCREEN Human-computer interaction
Manual tip (auto tip for option), Oil-Resistant Rubber Hose, Plug-In 220V, DC Electric Diaphragm Pump (11LPM) 45kgs, 107.5x79x52cm

Lubeworks

LW032: Lube Fill Cart Set - Air Pump 1700233



Cost reduction and efficiency increase Save oil purchase cost and reduce microWaste treatment costs, improve filling efficiency. Safe, reliable and precise CNC machining technology, precise processing technology Cham, add repeatability $\pm 0.3\%$. Using original imported seals, high quality

Oil tank: 180-220L
soft pipe: 1/2" 4m
reel drum: 10m
meter: digital display
Air pump: 3:1 12L/MIN

Lubeworks

LW033: Lube Fill Cart Set - Air Pump 1700232



Cost reduction and efficiency increase Save oil purchase cost and reduce microWaste treatment costs, improve filling efficiency. Safe, reliable and precise CNC machining technology, precise processing technology Cham, add repeatability $\pm 0.3\%$. Using original imported seals, high quality

Oil tank: 180-220L
soft pipe: 1/2" 4m
reel drum: No
meter: digital display
Air pump: 3:1 12L/MIN

Lubeworks

LW034: Lube Fill Cart Set – Power Pump 1700233



Running smoothly: Driven by electric gear pump, smooth operation, various pressures and flow optional
low noise: Driven by electric pump, low noise when working, good operating experience Ergonomic design, good operating experience
Comfortable handle, effectively reducing operating fatigue; non-marking, non-slip, pressure-resistant large moving Unimpeded access to various environments
Optional: A variety of pump, gun, meter configuration combinations are available to meet various personalized needs
Oil tank: 180-220L
soft pipe: 1/2" 4m
power: 220v
meter: digital display
Air pump: 3:1 12L/MIN

Lubeworks

LW035: Lube Fill Cart Set – Wall-mounted 1700211



Oil suction tube kit:
including "barrel tube + hose + fastener"
Fuel Hose Kit :
1/2", 4m
Oil pan optional
Refueling pump :
Pneumatic plunger pump (pump tube length 270mm), other types of lubricating oil pumps can be selected to meet various pressure and flow requirements
Tube Winder:
3/8"~3/4", 10~25m tube winder can be equipped according to demand
Filling gun Standard configuration 18133512 (preset digital display gun)

Lubeworks

LW036: Lube Fill Cart Set – Tank-mounted 1700211-1



Oil suction tube kit:
including "barrel tube + hose + fastener"
Fuel Hose Kit :
1/2", 4m
Oil pan optional
Refueling pump :
Pneumatic plunger pump (pump tube length 270mm), other types of lubricating oil pumps can be selected to meet various pressure and flow requirements
Tube Winder:
3/8"~3/4", 10~25m tube winder can be equipped according to demand
Filling gun Standard configuration 18133512 (preset digital display gun)

Lubeworks

Waste oil change machine



Lubeworks

LW056: Oil-change –Wall-Mounted 10101141



WASTE OIL SUCTION KITS

- Air operated transfer system
- With the probes supplied for convenient suction use
- The suction kit is suitable for sucking and delivering fluids such as: various oils, old oil, diesel oil and similar products
- Wall-mounting kit includes pump, hose reel, probes and gauge Note: To start the equipment for the first use, the working pressure need to be adjusted at 2bar to fulfill the empty hose slowly

Pump:1:1
Air inlet pressure:0.6-0.8Mba
Suction hose:1/2" x 10m(33Ft)
Hose reels:10m


Lubeworks

waste oil trolley



110L (移动小车)

LW057: 16206560:65L MOVABLE
LW058: 16211063:110L movable



65L (滑轨式)

LW059: 16206590:65L slide
LW060: 16211091:110L slide

Lubeworks

LW061: Grease distribution Equipment 10250322



Grease tank: 180-220L
Pump:50:1 1800g/min
Hose reel:15m, 1/4"

Lubeworks

LW062: Grease distribution Equipment POP013



Tank capacity 13kg
Pump model one million seven hundred and one thousand and five hundred
Air source pressure Max. 8bar
Refueling hose length 2m
Pressure ratio 50:01:00
Noise level 82db
flow Maximum 800g / min
Maximum air consumption 116.6L/min
Air inlet connector 1 / 4 "quick connector
Package size 32x38x87cm
weight 13.6kg

Lubeworks

LW063: Grease distribution Equipment 16402001



Tank capacity 20kg
Pump model one million seven hundred and one thousand five hundred and one
Air source pressure Max. 8bar
Refueling hose length 2m
Pressure ratio 50:01:00
Noise level 82db
flow Maximum 800g / min
Maximum air consumption 116.6L/min
Air inlet connector 1 / 4 "quick connector
Package size 33x35x82. 5cm
weight 16.8kg
model sixteen million four hundred and two thousand and one