

ZD300 Stainless Door Paint-booth



Product Name: Stainless Door Paintingbooth

Product Type: ZD300

Product Features : Lamp heater,Three fan(2 INLET 1 OUTLET),Stainless steel base and Door, low threshold within one meter outside and inside, LED lamp.

Product Introduce:

Cabin System	Wallboard	EPS (epispastics polystyrene)Colorful Steel Skin Boards 0.376mm, 50mm Thick, Tongue & Groove Style, Compound Construction, Aluminum-alloy Frame. Anti-flame and Heat-Insulation, Galvanized steel roof panel	
	Basement	Galvanized Steel Sheet and Square steel pipe assembling, Grid &embossed plate floor, Three embossed steel ramps., Use Stainless steel&Glass Door	
	Main Door	Use Stainless steel&Glass Door	
Air Circulation	Inhaling	Blower capacity: 22000m ³ /h	Outlet Fan:4kw /1set

System	Ventilator	Power: 3kw/set	
		Quantity: 2 sets	
Air Volume: 22000m ³ /h; Air Speed: 0.35m/s, Air Recycling times:280 times/h;			
Purification System	Dual Filtering Structure, The Primary Filter Can Capture Granules Larger than 10μm. Ceiling Filter Capture Granules Bigger than 4μm. Its filtering rate reaches 98%. air pressure balance gauge, TSP≤1.4mg/m ³		
Heating System	Burner	30pc Infrared heating tube	
	Heat Energy Converter	SUS304 Stainless Steel heat exchanger, argon arc welding;	
Max Temp:80° C, Heating Time:6-8min(20-50°C),			
Light System	Ceiling Light: 24pcs 36w Philips Lamp; 800 Lux		
Controlling System	Spray & Baking Switch, Light Switch, Emergency Stop, Breakdown Alarm		

Installation case:





